


# ANOUR

## I-MODEL CORD 100 cm



**PRODUCT:** I-MODEL CORD, 100 cm

**LEAD TIME:** 8-10 weeks

**WEIGHT:** 3,3 kg (approximate value)

**PACKAGE WEIGHT:** 4,5 kg (approximate value)

**SUSPENSION:** 3m length standard, 8m available on request



**CORD:** 3m textile cord standard, 6m available on request

**DIMMER:** Touch dimmer on the lamp as standard  
Available external dimming : Triac / Dali / Casambi / 1-10V / PUSH DIM  
**Touch button not functional with external dimming**

**CERTIFICATION:** CE (230V)


**MATERIAL:** Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.




### TECHNICAL DETAILS:

240V / 120V (available with Switchex)  
Illumination  
LED  
Wattage: 30 W  
Light output: 2130 lm  
Color temperature: 2700 K, 3000 K, 4000 K  
CRI: 93+  
LED life hours: 50,000



### AVAILABLE MATERIALS AND FINISHES:




### AVAILABLE CORDS:



# ANOUR

## I-MODEL CORD 150 cm



**PRODUCT:** I-MODEL CORD, 150 cm

**LEAD TIME:** 8-10 weeks

**WEIGHT:** 5 kg (approximate value)

**PACKAGE WEIGHT:** 6 kg (approximate value)

**SUSPENSION:** 3m length standard, 8m available on request



**CORD:** 3m textile cord standard, 6m available on request

**DIMMER:** Touch dimmer on the lamp as standard  
Available external dimming : Triac / Dali / Casambi / 1-10V / PUSH DIM  
**Touch button not functional with external dimming**

**CERTIFICATION:** CE (230V)


**MATERIAL:** Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.




### TECHNICAL DETAILS:


240V / 120V (available with Switchex)  
Illumination  
LED  
Wattage: 30 W  
Light output: 2130 lm  
Color temperature: 2700 K, 3000 K, 4000 K  
CRI: 93+  
LED life hours: 50,000



### AVAILABLE MATERIALS AND FINISHES:




### AVAILABLE CORDS:



# ANOUR

## I-MODEL CORD 200 cm



**PRODUCT:** I-MODEL CORD, 200 cm

**LEAD TIME:** 8-10 weeks

**WEIGHT:** 6,5 kg (approximate value)

**PACKAGE WEIGHT:** 8 kg (approximate value)

**SUSPENSION:** 3m length standard, 8m available on request



**CORD:** 3m textile cord standard, 6m available on request

**DIMMER:** Touch dimmer on the lamp as standard  
Available external dimming : Triac / Dali / Casambi / 1-10V / PUSH DIM  
**Touch button not functional with external dimming**

**CERTIFICATION:** CE (230V)


**MATERIAL:** Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.




### TECHNICAL DETAILS:


240V / 120V (available with Switchex)  
Illumination  
LED  
Wattage: 40 W  
Light output: 2840 lm  
Color temperature: 2700 K, 3000 K, 4000 K  
CRI: 93+  
LED life hours: 50,000



### AVAILABLE MATERIALS AND FINISHES:




### AVAILABLE CORDS:



# ANOUR

I-MODEL CORD  
250 cm



**PRODUCT:** I-MODEL CORD, 250 cm

**LEAD TIME:** 8-10 weeks

**WEIGHT:** 8 kg (approximate value)

**PACKAGE WEIGHT:** 10 kg (approximate value)

**SUSPENSION:** 3m length standard, 8m available on request



**CORD:** 3m textile cord standard, 6m available on request

**DIMMER:** Touch dimmer on the lamp as standard  
Available external dimming : Triac / Dali / Casambi / 1-10V / PUSH DIM  
**Touch button not functional with external dimming**

**CERTIFICATION:** CE (230V)


**MATERIAL:** Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.




## TECHNICAL DETAILS:

240V / 120V (available with Switchex)  
Illumination  
LED  
Wattage: 50 W  
Light output: 3550 lm  
Color temperature: 2700 K, 3000 K, 4000 K  
CRI: 93+  
LED life hours: 50,000



## AVAILABLE MATERIALS AND FINISHES:




## AVAILABLE CORDS:



# ANOUR

## I-MODEL CORD 300 cm



**PRODUCT:** I-MODEL CORD, 300 cm

**LEAD TIME:** 8-10 weeks

**WEIGHT:** 10 kg (approximate value)

**PACKAGE WEIGHT:** 12 kg (approximate value)

**SUSPENSION:** 3m length standard, 8m available on request



**CORD:** 3m textile cord standard, 6m available on request

**DIMMER:** Touch dimmer on the lamp as standard  
Available external dimming : Triac / Dali / Casambi / 1-10V / PUSH DIM  
**Touch button not functional with external dimming**

**CERTIFICATION:** CE (230V)


**MATERIAL:** Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.




### TECHNICAL DETAILS:

240V / 120V (available with Switchex)  
Illumination  
LED  
Wattage: 60 W  
Light output: 4260 lm  
Color temperature: 2700 K, 3000 K, 4000 K  
CRI: 93+  
LED life hours: 50,000



### AVAILABLE MATERIALS AND FINISHES:



### AVAILABLE CORDS:

