


ANOUR

I-MODEL CORD 100 cm



PRODUCT: I-MODEL CORD, 100 cm

LEAD TIME: 8-10 weeks

WEIGHT: 3,3 kg (approximate value)

PACKAGE WEIGHT: 4,5 kg (approximate value)

SUSPENSION: 3m length standard, 8m available on request


CORD: 3m textile cord standard, 6m available on request

DIMMER: Touch dimmer on the lamp as standard
Dali / Casambi / 1-10V available on request

CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED


Wattage: 30 W

Light output: 2130 lm

Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000



AVAILABLE MATERIALS AND FINISHES:

Brass polished



Brass brushed



Brass browned



Copper polished



Copper brushed



Copper browned



Copper oxidized



Steel blued



Steel rusted



Stainless steel brushed



Stainless steel polished



Steel dark opal chrome



AVAILABLE CORDS:


Cord grey



Cord black



Cord brown




Cord brown



ANOUR

I-MODEL CORD 150 cm



PRODUCT: I-MODEL CORD, 150 cm

LEAD TIME: 8-10 weeks

WEIGHT: 5 kg (approximate value)

PACKAGE WEIGHT: 6 kg (approximate value)

SUSPENSION: 3m length standard, 8m available on request


CORD: 3m textile cord standard, 6m available on request

DIMMER: Touch dimmer on the lamp as standard
Dali / Casambi / 1-10V available on request

CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED


Wattage: 30 W

Light output: 2130 lm


Color temperature: 2700 K

CRI: 93+


LED life hours: 50,000




AVAILABLE MATERIALS AND FINISHES:



AVAILABLE CORDS:



I-MODEL CORD 200 cm



PRODUCT: I-MODEL CORD, 200 cm

LEAD TIME: 8-10 weeks

WEIGHT: 6,5 kg (approximate value)

PACKAGE WEIGHT: 8 kg (approximate value)

SUSPENSION: 3m length standard, 8m available on request


CORD: 3m textile cord standard, 6m available on request

DIMMER: Touch dimmer on the lamp as standard
Dali / Casambi / 1-10V available on request


CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper



For more technical information, please see the installation manual.



AVAILABLE MATERIALS AND FINISHES:



AVAILABLE CORDS:



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 40 W

Light output: 2840 lm

Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000

I-MODEL CORD 250 cm



PRODUCT: I-MODEL CORD, 250 cm

LEAD TIME: 8-10 weeks

WEIGHT: 8 kg (approximate value)

PACKAGE WEIGHT: 10 kg (approximate value)

SUSPENSION: 3m length standard, 8m available on request


CORD: 3m textile cord standard, 6m available on request

DIMMER: Touch dimmer on the lamp as standard
Dali / Casambi / 1-10V available on request


CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper



For more technical information, please see the installation manual.



AVAILABLE MATERIALS AND FINISHES:



AVAILABLE CORDS:



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 50 W


Light output: 3550 lm

Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000

I-MODEL CORD 300 cm



PRODUCT: I-MODEL CORD, 300 cm

LEAD TIME: 8-10 weeks

WEIGHT: 10 kg (approximate value)

PACKAGE WEIGHT: 12 kg (approximate value)

SUSPENSION: 3m length standard, 8m available on request


CORD: 3m textile cord standard, 6m available on request

DIMMER: Touch dimmer on the lamp as standard
Dali / Casambi / 1-10V available on request

CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED


Wattage: 60 W

Light output: 4260 lm


Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000



AVAILABLE MATERIALS AND FINISHES:



AVAILABLE CORDS:

