


I-MODEL CORDLESS 100 cm



PRODUCT: I-MODEL CORDLESS , 100 cm

LEAD TIME: 8-10 weeks

WEIGHT: 3,3 kg (approximate value)

PACKAGE WEIGHT: 4,5 kg (approximate value)


SUSPENSION: 8m length, drop ceiling available on request

DIMMER: Touch dimmer on the lamp as standard
Triac / Dali / Casambi / 1-10V / PUSH DIM available on request



CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



AVAILABLE MATERIALS AND FINISHES:



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 30 W


Light output: 2130 lm

Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000

I-MODEL CORDLESS 150 cm



PRODUCT: I-MODEL CORDLESS, 150 cm

LEAD TIME: 8-10 weeks

WEIGHT: 5 kg (approximate value)

PACKAGE WEIGHT: 6 kg (approximate value)


SUSPENSION: 8m length, drop ceiling available on request

DIMMER: Touch dimmer on the lamp as standard
Triac / Dali / Casambi / 1-10V / PUSH DIM available on request



CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



AVAILABLE MATERIALS AND FINISHES:



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 30 W


Light output: 2130 lm

Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000

I-MODEL CORDLESS 200 cm



PRODUCT: I-MODEL CORDLESS, 200 cm

LEAD TIME: 8-10 weeks

WEIGHT: 6,5 kg (approximate value)

PACKAGE WEIGHT: 8 kg (approximate value)


SUSPENSION: 8m length, drop ceiling available on request

DIMMER: Touch dimmer on the lamp as standard
Triac / Dali / Casambi / 1-10V / PUSH DIM available on request



CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



AVAILABLE MATERIALS AND FINISHES:



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 40 W


Light output: 2840 lm

Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000

I-MODEL CORDLESS 250 cm



PRODUCT: I-MODEL CORDLESS, 250 cm

LEAD TIME: 8-10 weeks

WEIGHT: 8 kg (approximate value)

PACKAGE WEIGHT: 10 kg (approximate value)


SUSPENSION: 8m length, drop ceiling available on request

DIMMER: Touch dimmer on the lamp as standard
Triac / Dali / Casambi / 1-10V / PUSH DIM available on request



CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



AVAILABLE MATERIALS AND FINISHES:



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 50 W


Light output: 3550 lm

Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000

I-MODEL CORDLESS 300 cm



PRODUCT: I-MODEL CORDLESS, 300 cm

LEAD TIME: 8-10 weeks

WEIGHT: 10 kg (approximate value)

PACKAGE WEIGHT: 12 kg (approximate value)


SUSPENSION: 8m length, drop ceiling available on request

DIMMER: Touch dimmer on the lamp as standard
Triac / Dali / Casambi / 1-10V / PUSH DIM available on request



CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



AVAILABLE MATERIALS AND FINISHES:



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 60 W

Light output: 4260 lm

Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000