



ANOUR



ANOUR 

Handcrafted Contemporary Lighting



Our Story

Anour is Farsi and means light.

It is also the name of a Danish Design Company established in 2007.

Founder and Architect Arash Nourinejad realised his vision of creating a lamp of uncompromising design with visionary functionality, made from the finest materials.

The label stands for the highest level of craftsmanship and continuing in the footsteps of Danish design traditions. Each piece is made with a focus on sustainability in design, production and technology.





“Ultimately,
I aspire to achieve
perfection in my work.
Despite my experience
as a manufacturer,
architect and designer,
I am constantly exploring
new ways to refine and
elevate our products and
processes. Like most of
the great designers of the
past, I find pleasure in
refining the details of
the product, so the joints
become the ornaments
of the design”


- Arash Nourinejad, Architect & Founder of ANOUR




Polished Stainless Steel

ANNIVERSARY COLLECTION

The anniversary collection is a celebration of the most iconic design from ANOUR. To mark out and reflect on the past 10 years, I-MODEL Cordless along with selected pieces are launched in a new surface - a reflective addition to the material library - Polished Stainless Steel. It's a pure and compelling celebration of simplicity, minimalism and craft.





Re:imagined

LIMITED EDITION

With the meticulous craftsmanship and chromatization process, ANOUR Re:imagined collection mimics the fluid lines of flowing water. Re:imagined collection represents a new take on upcycling.

We've taken up the challenge of constantly improving the inherent longevity of our products. With the Re:imagined collection we have created two new surfaces with unique colour palette, maintenance free plaiting, while retaining our signature tactile approach.



Donya Onyx

A brand new introduction of shades crafted from the precious Onyx stones is uplifting and unique. Polished to perfection into four minimal shapes: Moon, Trapeze, Solar and Cylinder, the new Onyx shades are ultra-modern yet delightfully subtle.

“The depth of the Onyx stones is mesmerising. It makes you feel enchanted. Lamp crafted from the material as beautiful and valuable as Onyx undeniably becomes a feature piece.”

- Arash Nourinejad, Architect & Founder of ANOUR



Mounted Lighting

Elegant lighting solution designed for tables to provide the right amount of light while retaining an elegant appearance.

Mounted models complement the I-MODEL pendants and T-MODEL table lamps, adding functional variety while retaining balance that permeates the collection.





Pendants

I-MODEL CORD

Born out of a functional need to utilise the materials that were simply too good to be thrown away. The very first I-MODEL, was made by mindful design, appreciation for quality and innovative nature of Arash Nourinejad, architect and founder of ANOUR.

Under the surface, I-MODEL conceals a dimension involving the best LED technology, impeccable structure - and craft. Each lamp is assembled by hand, with every element fine tuned - approaching the precision of high jewellery.

The cord is available in four classic colours to compliment the variety of surfaces.






I-MODEL CORDLESS


I-MODEL Cordless pendant spreads good light without interfering with the view. The minimal elegant design and a variety of available surfaces, makes it a perfect choice over a kitchen island.

Depending on your ceiling type, the I-MODEL Cordless can be installed with or without the visible driver.

I-Model. The Original Cordless Pendant Lamp.

Born in
2012.





Y-MODEL

Functional as well as beautiful, Y-MODEL is a pendant lamp that brings character to a room whether it is a dining area, workspace or a living room. Simple and elegant in its form, the lamp is fitted with an integrated touch sensitive dimmer button to control the light.

Available in copper or brass with seven unique surface treatments that will suit your personal style.



X-MODEL

Pendant lamp with a simple yet contemporary look. The strong and almost sculptural presence of the X-MODEL makes it a perfect choice when creating a focal point in your home.

The lamp is fitted with an integrated touch sensitive dimmer button to control the light. X-MODEL lamp is available in copper or brass with seven unique surfaces to choose from.



G-MODEL

The luminaire provides a fully rotational and adjustable feature, enabling total flexibility when directing the light.

An ideal way to highlight any artworks or pictures on a wall.





DONYA PENDANT

Minimal pendant lamp emitting downward light and illuminating the surfaces with its glare-free glow. The surfaces of the lamp, as well as the reflector have an elegant yet decidedly industrial feel, making it a perfect choice for dining areas, living rooms as well as modern lighting in larger hallways.

DONYA PENDANT can be displayed alone or in a group creating an architecturally striking statement.



DONYA SPHERE

Elegant and subtle, characterised by a white opal glass shade and a base crafted from copper, steel or brass. Available in a variety of surfaces developed by craftsmen at the ANOUR workshop.

It can be displayed alone or in groups to highlight room's architectural features or decor, while making a striking statement. DONYA is available as a spot, pendant, table and a wall lamp.

Sometimes,
The Surfaces
Are Rebellious
And Must Be
Developed
With Patience
& Precision





Wall Lamps

PAPILIO

Designed by Copenhagen based OEO Studio, in close collaboration with Arash Nourinejad, for Hotel Kong Arthur in central Copenhagen.

Discreet and atmospheric, Papilio is a simple and sophisticated wall lamp that takes up little space and can provide a decorative flourish to any interior. The light has an abstract, poetic shape loosely inspired by the butterfly. It can be used as bedside lamps, in a hotel lobby or simply as a wall light.





DIVAR

Wall lamp that illuminates the space with atmospheric beauty - blending sleek design and functionality. The sculptural expression and the lamp's flexible design let you adjust the angle of the light to its perfect position. DIVAR hangs comfortably on its own or in pairs, providing glare-free adjustable backlight to living spaces, bedrooms or hallway areas.





DONYA SPHERE

DONYA SPHERE Wall Lamp offers an ambient and soft light, with charm and uniqueness. Characterised by a white opal glass shade and a base crafted from copper, steel or brass in a variety of surfaces developed by craftsmen at the ANOUR workshop.

DONYA is available as a spot, pendant, table and a wall lamp.



Table Lamps



T-MODEL

Minimalistic and contemporary reinterpretation of a classic desk lamp embodied in a modern look that feels at home in any setting. Whether placed as a focal point in the bedroom, dining room or in the office, the elegant expression of T-MODEL makes every space feel more unique and inviting.





DONYA SPHERE

DONYA SPHERE series offers an ambient and soft light, with charm and uniqueness. Characterised by a white opal glass shade and a base crafted from copper, steel or brass, available in a variety of surfaces developed by craftsmen at the ANOUR workshop. Contrasting against the base, Black Textile Cord compliments design's contemporary form.

DONYA is available as a spot, pendant, table and a wall lamp.

Floor Lamps





F-MODEL

Elegant design and puristic nature of the award-winning F-MODEL lamp features a slender vertical silhouette that skilfully plays with proportions and cleverly uses the best LED technology. With its elegant yet reduced to necessity visual expression of the base with a tall pivoting light screen, the F-MODEL is a study of geometry and a lamp that complements every style.






Product Specifications



I-MODEL

CORD




Textile Cord colour: Black - Brown - Grey - Copper

CORDLESS





White driver box: 340 x 36,5 x 31 mm
Please mention if the DROPPED CEILING installation is required

MATERIALS & FINISHES



*LIMITED EDITION
** Only available for I-MODEL CORDLESS

DIMENSIONS



SPECIFICATIONS


SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	SUSPENSION	CORD	VOLT	WATT	LUMENS	COLOUR T°	CRI	LIFE HOURS	CERTIFICATIONS
100 cm	LED	3,3 kg	4,5 kg	3 m (Cord) 8 m (Cordless)	3 m (Cord version only)	240v	30w	2130	2700	+93	50 000	CE (230V)
150 cm	LED	5 kg	6 kg	3 m (Cord) 8 m (Cordless)	3 m (Cord version only)	240v	30w	2130	2700	+93	50 000	CE (230V)
200 cm	LED	6,5 kg	8 kg	3 m (Cord) 8 m (Cordless)	3 m (Cord version only)	240v	40w	2840	2700	+93	50 000	CE (230V)
250 cm	LED	8 kg	10 kg	3 m (Cord) 8 m (Cordless)	3 m (Cord version only)	240v	50w	3550	2700	+93	50 000	CE (230V)
300 cm	LED	10 kg	12 kg	3 m (Cord) 8 m (Cordless)	3 m (Cord version only)	240v	60w	4260	2700	+93	50 000	CE (230V)

*Approximate values
*Special sizes on request

DIMMER COMPATIBILITY
Touch dimmer (standard)
Available for DALI or 1-10v
or Casambi or Push-dim

LEAD TIME
8-10 Weeks

UP-LIGHT



WALL MOUNTED






TABLE MOUNTED






PAPILIO


SINGLE



DOUBLE



MATERIALS & FINISHES



*LIMITED EDITION

SPECIFICATIONS

	SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	VOLT	WATT	LUMENS	COLOUR T°	CRI	LIFE HOURS	CERTIFICATIONS
SINGLE	32cm	LED	1,5 kg	2 kg	240v	6w	400	2700	+93	50 000	CE (230V)
DOUBLE	32cm	LED	3kg	3,5 kg	240v	12w	800	2700	+93	50 000	CE (230V)


*Approximate values
*Special sizes on request

DIMMER COMPATIBILITY
Triac (Trailing edge dimming)

LEAD TIME
8-10 weeks

I-MODEL can be modified as an uplight, wall mounted or table mounted.
For more technical information, please contact us at contact@anour.dk

Y-MODEL



MATERIALS & FINISHES



SPECIFICATIONS


SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	SUSPENSION	VOLT	WATT	LUMENS	COLOUR T°	CRI	LIFE HOURS	CERTIFI-CATIONS
Ø80 cm	LED	4,5 kg	7,5 kg	3m	240v	31w	1490	2700	+93	50 000	CE (230V)

*Approximate values
*Special sizes on request

DIMMER COMPATIBILITY
Touch dimmer (standard)
Available for DALI or 1-10v
or Casambi or Push-dim

LEAD TIME
8-10 weeks

X-MODEL



MATERIALS & FINISHES



SPECIFICATIONS

SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	SUSPENSION	VOLT	WATT	LUMENS	COLOUR T°	CRI	LIFE HOURS	CERTIFI-CATIONS
Ø100 cm	LED	7,5 kg	10,5 kg	3m	240v	40w	2640	2700	+93	50 000	CE (230V)


*Approximate values
*Special sizes on request

DIMMER COMPATIBILITY
Touch dimmer (standard)
Available for DALI or 1-10v
or Casambi or Push-dim

LEAD TIME
8-10 weeks

G-MODEL

DIMENSIONS



MATERIALS & FINISHES



SPECIFICATIONS

SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	SUSPENSION	VOLT	WATT	LUMENS	COLOUR T°	CRI	LIFE HOURS	CERTIFI-CATIONS
100 cm	LED	2 kg	4,5 kg	8m	240v	30w	2130	2700	+93	50 000	CE (230V)
150 cm	LED	2,8 kg	6 kg	8m	240v	30w	2130	2700	+93	50 000	CE (230V)
200 cm	LED	3,5 kg	7 kg	8m	240v	40w	2840	2700	+93	50 000	CE (230V)


*Approximate values
*Special sizes on request

DIMMER COMPATIBILITY
Touch dimmer (standard)
Available for DALI or 1-10v
or Casambi or Push-dim

LEAD TIME
8-10 weeks

DONYA PENDANT

DIMENSIONS



MATERIALS & FINISHES



SPECIFICATIONS


	SIZE	LIGHT	WEIGHT*	PACKAGE WEIGHT*	CORD	VOLT
PENDANT	Ø60 cm 203 cm	GU10	3,5 kg	4,0 kg	Black Textile Cord 3 m	100 V 240 V

GU10 socket max 6 Watt
(bulb not included)


LEAD TIME
8-10 weeks

DONYA SPHERE

DIMENSIONS



MATERIALS & FINISHES




SPECIFICATIONS

	SIZE	LIGHT	WEIGHT*	PACKAGE WEIGHT*	CORD	VOLT
PENDING	Ø150 cm 340 cm	GU10	2,5 kg	3,0 kg	Black Textile Cord 3 m	100 V 240 V
WALL/TABLE (Incl. ON/OFF switch)	Ø150 cm 262 cm	GU10	2,5 kg	3,0 kg	Black Textile Cord 2 m	100 V 240 V


GU10 socket max 6 Watt (bulb not included)
LEAD TIME
8-10 weeks

DONYA ONYX

DIMENSIONS



MATERIALS & FINISHES




SPECIFICATIONS

	SIZE	LIGHT	WEIGHT*	PACKAGE WEIGHT*	CORD	VOLT
CYLINDER	Ø60 cm 245 cm	GU10	3,5 kg	4,0 kg	Black Textile Cord 2 m	100 V 240 V
TRAPEZE	Ø108 cm 245 cm	GU10	4,0 kg	4,5 kg	Black Textile Cord 2 m	100 V 240 V
SOLAR	Ø260 cm 230 cm	GU10	4,5 kg	5,0 kg	Black Textile Cord 2 m	100 V 240 V
MOON	Ø120 cm 245 cm	GU10	4,0 kg	4,5 kg	Black Textile Cord 2 m	100 V 240 V


GU10 socket max 6 Watt (bulb not included)
LEAD TIME
8-10 weeks

DIVAR

DIMENSIONS



MATERIALS & FINISHES



*LIMITED EDITION



SPECIFICATIONS

SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	SUSPENSION	VOLT	WATT	LUMENS	COLOUR T°	CRI	LIFE HOURS	CERTIFI-CATIONS
50 cm	LED	1,5 kg	2 kg	2m Black Cord	240v	12w	600	2700	+93	50 000	CE (230V) Driver UL listed
100 cm	LED	2,2 kg	3,1 kg	2m Black Cord	240v	27w	1345	2700	+93	50 000	CE (230V) Driver UL listed
150 cm	LED	3,3 kg	4,4 kg	2m Black Cord	240v	27w	2050	2700	+93	50 000	CE (230V) Driver UL listed
200 cm	LED	4,2 kg	5,7 kg	2m Black Cord	240v	37w	2760	2700	+93	50 000	CE (230V) Driver UL listed
250 cm	LED	5,2 kg	7,1 kg	2m Black Cord	240v	47w	3470	2700	+93	50 000	CE (230V) Driver UL listed
300 cm	LED	6,2 kg	8,6 kg	2m Black Cord	240v	57w	4190	2700	+93	50 000	CE (230V) Driver UL listed

*Approximate values
*Special sizes on request


DIMMER COMPATIBILITY
Touch dimmer (standard)
Available for DALI or 1-10v
or Casambi or Push-dim

LEAD TIME
8-10 weeks



T-MODEL

DIMENSIONS



MATERIALS & FINISHES



SPECIFICATIONS

SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	CORD	VOLT	WATT	LUMENS	COLOUR T°	CRI	LIFE HOURS	CERTIFICATIONS
50x20x30 cm	LED	3 kg	4,5 kg	Black Cord 2 m	240v	12w	1185	2700	+93	50 000	CE (230V) Driver UL listed


*Approximate values

DIMMER COMPATIBILITY
Touch dimmer (standard)


LEAD TIME
8-10 weeks

F-MODEL

DIMENSIONS



MATERIALS & FINISHES



*LIMITED EDITION

SPECIFICATIONS

SIZE	LED	WEIGHT*	PACKAGE WEIGHT*	CORD	VOLT	WATT	LUMENS	COLOUR T°	CRI	LIFE HOURS	CERTIFICATIONS
One Size	LED	10 kg	13,5 kg	Black Cord 2 m	240v	30w	2050	2700	+93	50 000	CE (230V) Driver UL listed

*Approximate values

DIMMER COMPATIBILITY
Touch dimmer (standard)

LEAD TIME
8-10 weeks

Care & Maintenance

CARE & MAINTENANCE

To maintain the finished quality of your ANOUR products, please follow bellow described cleaning procedures. The instructions for the care and maintenance are provided to you as a service. No warranty is implied since results may vary.

Before cleaning, the light must be turned off and unplugged from mains supply. While cleaning, please be extremely careful.

POLISHED SURFACES

The product should only be treated with a polishing cream made for the specific material. We recommend ©BRASSO.

BRUSHED SURFACES

For regular cleaning, the product should only be cleaned with a dry soft cloth. To remove small scratches and scuff marks, you can firmly rub the surface (in the same direction of the brushed finish) with the Green 3M Scotch-Brite abrasive pad. You can also apply a polishing cream ©BRASSO with a dry soft cloth.

BROWNED SURFACES & BLUED STEEL

The product should only be cleaned with a dry soft cloth. Only if required, a thin coat of acid free natural oil can be applied on the surface and wiped afterwards with a clean soft cloth.

RUSTED & OXIDIZED SURFACES

For regular cleaning, the product should only be cleaned with a feather duster.

MARBLE

Dust frequently with a clean, soft cloth. Wash periodically with a cloth dampened with warm water, and if necessary, a small amount of mild dishwashing liquid. Use a second damp cloth to remove the soap.

STAINLESS STEEL

The product can be cleaned with stainless steel cleaner and a cloth. Dry the lamp with a microfibre cloth after cleaning


Please be careful with liquids around the touch dimmer and cable insulation areas. For more information, consult the FAQ on [anour.dk](mailto:contact@anour.dk) or contact us at contact@anour.dk



POLISHED
STAINLESS STEEL



BRUSHED
STAINLESS STEEL



BLUED STEEL



NATURAL OAK




BLACK STAINED OAK



CARRARA MARBLE




POLISHED BRASS



BRUSHED BRASS



BROWNE



POLISHED COPPER



BRUSHED COPPER



BROWNE



PATINATION



PATINATION



PATINATION



PATINATION



OXIDIZED COPPER



RUSTED STEEL



DARK OPAL CHROME



GOLD PVD



BLACK PVD

Our
Craftsmen
Cut
Shape
Smooth
Oil
Sand
Brush
& Caress
Each Surface

contact@anour.dk
+45 33 60 70 70
anour.dk

