


I-MODEL CORDLESS AURA 100 cm



PRODUCT: I-MODEL CORDLESS AURA, 100 cm

LEAD TIME: 8-10 weeks

WEIGHT: 3,6 kg (approximate value)

PACKAGE WEIGHT: 4,8 kg (approximate value)


SUSPENSION: 8m length, drop ceiling available on request

DIMMER: External control and dimming only
dimming fixed for up/down Triac / Dali / 1-10 / PUSH DIM
dimming variable for up/down Casambi

CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 45 W


Light output down: 2130 lm

Light output up: 850 lm


Color temperature: 2700 K

CRI: 93+


LED life hours: 50,000



AVAILABLE MATERIALS AND FINISHES:



I-MODEL CORDLESS AURA 150 cm



PRODUCT: I-MODEL CORDLESS AURA, 150 cm

LEAD TIME: 8-10 weeks

WEIGHT: 5,4 kg (approximate value)

PACKAGE WEIGHT: 6,4 kg (approximate value)


SUSPENSION: 8m length, drop ceiling available on request

DIMMER: External control and dimming only
dimming fixed for up/down Triac / Dali / 1-10 / PUSH DIM
dimming variable for up/down Casambi

CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 60 W


Light output down: 2130 lm

Light output up: 1150 lm


Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000



AVAILABLE MATERIALS AND FINISHES:



I-MODEL CORDLESS AURA 200 cm



PRODUCT: I-MODEL CORDLESS AURA, 200 cm

LEAD TIME: 8-10 weeks

WEIGHT: 7 kg (approximate value)

PACKAGE WEIGHT: 8,5 kg (approximate value)


SUSPENSION: 8m length, drop ceiling available on request

DIMMER: External control and dimming only
dimming fixed for up/down Triac / Dali / 1-10 / PUSH DIM
dimming variable for up/down Casambi

CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 70 W


Light output down: 2840 lm

Light output up: 1450 lm


Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000



AVAILABLE MATERIALS AND FINISHES:



I-MODEL CORDLESS AURA 250 cm



PRODUCT: I-MODEL CORDLESS AURA, 250 cm

LEAD TIME: 8-10 weeks

WEIGHT: 8,7 kg (approximate value)

PACKAGE WEIGHT: 10,7 kg (approximate value)


SUSPENSION: 8m length, drop ceiling available on request

DIMMER: External control and dimming only
dimming fixed for up/down Triac / Dali / 1-10 / PUSH DIM
dimming variable for up/down Casambi

CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 80 W


Light output down: 3550 lm

Light output up: 1750 lm


Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000



AVAILABLE MATERIALS AND FINISHES:



I-MODEL CORDLESS AURA 300 cm



PRODUCT: I-MODEL CORDLESS AURA, 300 cm

LEAD TIME: 8-10 weeks

WEIGHT: 11 kg (approximate value)

PACKAGE WEIGHT: 13 kg (approximate value)


SUSPENSION: 8m length, drop ceiling available on request

DIMMER: External control and dimming only
dimming fixed for up/down Triac / Dali / 1-10 / PUSH DIM
dimming variable for up/down Casambi

CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



TECHNICAL DETAILS:

240V / 120V (available with Switchex)

Illumination

LED

Wattage: 100 W


Light output down: 4260 lm

Light output up: 2130 lm

Color temperature: 2700 K

CRI: 93+

LED life hours: 50,000



AVAILABLE MATERIALS AND FINISHES:

