


DIVAR 2.0 50 cm





PRODUCT: DIVAR 2.0, 50 cm

LEAD TIME: 8-10 weeks

WEIGHT: 1,7 kg (approximate value)

PACKAGE WEIGHT: 2,0 kg (approximate value)


DIMMER: External dimming Triac as standard Touch button on the lamp / Dali / Casambi available on request

OPTIONAL CORD: 2m black cord + eu wall plug

CERTIFICATION: CE (230V)


MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble

For more technical information, please see the installation manual.



TECHNICAL DETAILS:

240V Illumination LED Wattage: 10 W Light output: 600 lm Color temperature: 2700 K, 3000 K, 4000 K CRI: 93+ LED life hours: 50,000



AVAILABLE MATERIALS AND FINISHES: Brass polished Brass brushed

Brass browned

Copper polished

Copper brushed

Copper browned

Stainless steel brushed

Stainless steel polished

Stainless steel black

Steel rusted

Steel dark opal chrome


teer dark opar chrome

OPTIONAL TOUCH BUTTON ON THE LAMP

OPTIONAL CORD WITH WALL PLUG



DIVAR 2.0



PRODUCT: DIVAR 2.0, 100 cm

LEAD TIME: 8-10 weeks

WEIGHT: 2,5 kg (approximate value)

PACKAGE WEIGHT: 3,4 kg (approximate value)


DIMMER: External dimming Triac as standard Touch button on the lamp / Dali / Casambi available on request

OPTIONAL CORD: 2m black cord + eu wall plug

CERTIFICATION: CE (230V)

MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble

For more technical information, please see the installation manual.



TECHNICAL DETAILS:

240V Illumination LED Wattage: 20 W Light output: 1345 lm Color temperature: 2700 K, 3000 K, 4000 K CRI: 93+ LED life hours: 50,000



OPTIONAL TOUCH BUTTON ON THE LAMP

OPTIONAL CORD WITH WALL PLUG


AVAILABLE MATERIALS AND FINISHES:

ANOUR 🕘

AVAILABLE MATERIALS AND FINISHES:



DIVAR 2.0						
150 cm	40.5	150 cm	70			
ŀ	43,5 cm	36,5 cm	70 cm	I		
				Ł		
6,3 cm						
7 cm						
PRODUCT: DIVAR 2	.0, 150 cm					
LEAD TIME: 8-10 we	eeks					
WEIGHT: 3,7 kg (ap	proximate value)					
PACKAGE WEIGHT:	4,9 kg (approximate va	alue)				
DIMMER: External c Touch but	limming Triac as standa tton on the lamp / Dali ,	ird / Casambi available on re	equest			
OPTIONAL CORD: 2	2m black cord + eu wal	l plug				
CERTIFICATION: CE	E (230V)					
MATERIAL: Steel, St	ainless steel, Corten ste	eel, Brass, Copper, Marbl	e			
For more technical i	nformation, please see	the installation manual.				
	TECHNICAL DETA	ILS:				
ANOUR DIVAR 15	₀ 240V					
This luminaire contains built-in	Illumination					
LED lamps.	LED Wattage: 30 W					
	Light output: 2050) lm e: 2700 K, 3000 K, 4000 k	ć			
	CRI: 93+		`			
	LED life hours: 50,	000				



OPTIONAL TOUCH BUTTON ON THE LAMP

The lamps cannot be changed in the luminaire.

DIVAR 2.0 Diver 4.3 cm 10 cm 4.4 cm 10 cm 10 cm 10 cm	ANOUR					\sim	\sim
425 or 36,5 or 101 or Image: State of the state of th							
PRODUCT: DIVAR 2.0, 200 cm LEAD TIME: 8-10 weeks WEIGHT: 4,6 kg (approximate value) PACKAGE WEIGHT: 6,1 kg (approximate value) DIMMER: External dimming Triac as standard Duch button on the lamp / Dail / Casambi available on request OPTIONAL CORD: 2m black cord + eu wall plug CERTIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Graten steel, Brass, Copper, Marble For more technical information, please see the installation manual. TECHNICAL DETAILS: 240V Humination DIM Marge: 30 W Humination Color temperature: 2700 IM, 3000 K, 4000 K Color temperature: 2700 IM, 3000 K, 4000 K		(0.5					
PRODUCT: DIVAR 2.0, 200 cm LEAD TIME: 8-10 weeks WEIGHT: 4,6 kg (approximate value) PACKAGE WEIGHT: 6,1 kg (approximate value) DIMMER: External dimming Triac as standard Touch button on the lamp / Dal / Casambi available on request OPTIONAL CORD: 2m black cord + eu wall plug CERTIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble For more technical information, please see the installation manual. TECHNICAL DETAILS: 240V Illumination LED Wattage: 40 W LUD Wattage: 40 W LUD Wattage: 40 W LUD Wattage: 2700 K, 3000 K, 4000 K City: 394		62,5 cm	36,5 cm	101 cm			
PRODUCT: DIVAR 2.0, 200 cm LEAD TIME: 8-10 weeks WEIGHT: 4,6 kg (approximate value) PACKAGE WEIGHT: 6,1 kg (approximate value) DIMMER: External dimming Triac as standard Touch button on the lamp / Dal / Casambi available on request OPTIONAL CORD: 2m black cord + eu wall plug CERTIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble For more technical information, please see the installation manual. TECHNICAL DETAILS: 240V Illumination LED Wattage: 40 W LUD Wattage: 40 W LUD Wattage: 40 W LUD Wattage: 2700 K, 3000 K, 4000 K City: 394							
PRODUCT: DIVAR 2.0, 200 cm LEAD TIME: 8-10 weeks WEIGHT: 4,6 kg (approximate value) PACKAGE WEIGHT: 6,1 kg (approximate value) DIMMER: External dimming Triac as standard Touch button on the lamp / Dal / Casambi available on request OPTIONAL CORD: 2m black cord + eu wall plug CERTIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble For more technical information, please see the installation manual. TECHNICAL DETAILS: 240V Illumination LED Wattage: 40 W LUD Wattage: 40 W LUD Wattage: 40 W LUD Wattage: 2700 K, 3000 K, 4000 K City: 394	<u></u>		L L		L		
PRODUCT: DIVAR 2.0, 200 cm LEAD TIME: 8-10 weeks WEIGHT: 4,6 kg (approximate value) PACKAGE WEIGHT: 6,1 kg (approximate value) DIMMER: External dimming Triac as standard Touch button on the lamp / Dail / Casambi available on request OPTIONAL CORD: 2m black cord + eu wall plug CERTIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble For more technical information, please see the installation manual. Image: Description of the provide of the term of the provide of the term of term							
LEAD TIME: 8-10 weeks WEIGHT: 4,6 kg (approximate value) PACKAGE WEIGHT: 6,1 kg (approximate value) PACKAGE WEIGHT: 6,1 kg (approximate value) DIMMER: External dimming Triac as standard Touch button on the lamp / Dali / Casambi available on request Image: Casambi available on request OPTIONAL CORD: 2m black cord + eu wall plug Image: CertIFICATION: CE (230V) Image: CertIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble Image: Corten steel, Brass, Copper, Marble For more technical information, please see the installation manual. Image: 240V Illumination LED Wattage: 40 W Light output: 2760 Im Cobr temperature: 2700 K, 3000 K, 4000 K CRI: 93+	'7 cm'						
WEIGHT: 4,6 kg (approximate value) PACKAGE WEIGHT: 6,1 kg (approximate value) DIMMER: External dimming Triac as standard Touch button on the lamp / Dali / Casambi available on request OPTIONAL CORD: 2m black cord + eu wall plug CERTIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble For more technical information, please see the installation manual. Image: Technical DETAILS: 240V Illumination LED Wattage: 40 W Light output: 2760 Im Col temperature: 2700 K, 3000 K, 4000 K CR: 294 -	PRODUCT: DIVAR 2.0, 2	00 cm					
PACKAGE WEIGHT: 6,1 kg (approximate value) DIMMER: External dimming Triac as standard Touch button on the lamp / Dali / Casambi available on request OPTIONAL CORD: 2m black cord + eu wall plug CERTIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble For more technical information, please see the installation manual. Image: Display to the steel information in the stallation manual. Image: Display to the steel information in the stallation manual. Image: Display to the steel information in the steel information informatinfore information information information infor	LEAD TIME: 8-10 weeks						
DIMMER: External dimming Triac as standard Touch button on the lamp / Dali / Casambi available on request OPTIONAL CORD: 2m black cord + eu wall plug CERTIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble For more technical information, please see the installation manual. Image: Dimensional constraints Image: Dimension constraints	WEIGHT: 4,6 kg (approx			~			
Touch button on the lamp / Dali / Casambi available on request OPTIONAL CORD: 2m black cord + eu wall plug CERTIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble For more technical information, please see the installation manual. Image: Disturbishin to the temperature: 2700 K, 3000 K, 4000 K CR: 93+							
CERTIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble For more technical information, please see the installation manual.	DIMMER: External dimm Touch button	ning Triac as standard on the lamp / Dali / Casamł	pi available on request				
CERTIFICATION: CE (230V) MATERIAL: Steel, Stainless steel, Corten steel, Brass, Copper, Marble For more technical information, please see the installation manual. TECHNICAL DETAILS: 240V Illumination LED Wattage: 40 W Light output: 2760 lm Color temperature: 2700 K, 3000 K, 4000 K CR: 93+	OPTIONAL CORD: 2m b						
For more technical information, please see the installation manual. Image: Divar 200 Image: Divare Image: Divar 200 <td></td> <td></td> <td></td> <td></td>							
ANOUR DIVAR 200 Image: Divariance contains built-in LED Image: Divariance contains built-in LED Value Value <							
ANOUR DIVAR 200 Proteins built-in LED Lampse. LeD Wattage: 40 W Light output: 2760 lm Color temperature: 2700 K, 3000 K, 4000 K CRI: 93+	For more technical infor	mation, please see the insta	llation manual.				
Image: This luminatic contains built-in LED Illumination LED L Wattage: 40 W Light output: 2760 Im Color temperature: 2700 K, 3000 K, 4000 K Color temperature: 2700 K, 3000 K, 4000 K	ANOUR DIVAR 200						
L Wattage: 40 W Light output: 2760 lm Color temperature: 2700 K, 3000 K, 4000 K CRI: 93+	contains built-in	Illumination					
Color temperature: 2700 K, 3000 K, 4000 K CRI: 93+		Wattage: 40 W Light output: 2760 lm					
LED life hours: 50,000		CRI: 93+	K, 3000 K, 4000 K				
		LED life hours: 50,000					
The lamps cannot be changed in the luminaire.	The lamps cannot be changed						\searrow

874/2012

AVAILABLE MATERIALS AND FINISHES: Brass polished



OPTIONAL TOUCH BUTTON ON THE LAMP