


## I-MODEL WALL MOUNTED 100 cm



**PRODUCT:** I-MODEL WALL MOUNTED, 100 cm

**LEAD TIME:** 8-10 weeks

**WEIGHT:** 3,3 kg (approximate value)

**PACKAGE WEIGHT:** 4,5 kg (approximate value)


**CORD (OPTIONAL):** 3m textile cord

**DIMMER:** Touch dimmer on the lamp as standard  
Available external dimming : Triac / Dali / Casambi / 1-10V / PUSH DIM  
**Touch button not functional with external dimming**

**CERTIFICATION:** CE (230V)


**MATERIAL:** Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.




### TECHNICAL DETAILS:


240V / 120V (available with Switchex)  
Illumination  
LED  
Wattage: 30 W  
Light output: 2130 lm  
Color temperature: 2700 K, 3000 K, 4000 K  
CRI: 93+  
LED life hours: 50,000




### AVAILABLE MATERIALS AND FINISHES:



### AVAILABLE CORDS (OPTIONAL):



## I-MODEL WALL MOUNTED 150 cm



**PRODUCT:** I-MODEL WALL MOUNTED, 150 cm

**LEAD TIME:** 8-10 weeks

**WEIGHT:** 5 kg (approximate value)

**PACKAGE WEIGHT:** 6 kg (approximate value)


**CORD (OPTIONAL):** 3m textile cord

**DIMMER:** Touch dimmer on the lamp as standard  
Available external dimming : Triac / Dali / Casambi / 1-10V / PUSH DIM  
**Touch button not functional with external dimming**



**CERTIFICATION:** CE (230V)

**MATERIAL:** Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.




### AVAILABLE MATERIALS AND FINISHES:




### TECHNICAL DETAILS:

240V / 120V (available with Switchex)  
Illumination  
LED  
Wattage: 30 W  
Light output: 2130 lm  
Color temperature: 2700 K, 3000 K, 4000 K  
CRI: 93+  
LED life hours: 50,000

### AVAILABLE CORDS (OPTIONAL):



## I-MODEL WALL MOUNTED 200 cm



**PRODUCT:** I-MODEL WALL MOUNTED, 200 cm

**LEAD TIME:** 8-10 weeks

**WEIGHT:** 6,5 kg (approximate value)

**PACKAGE WEIGHT:** 8 kg (approximate value)


**CORD (OPTIONAL):** 3m textile cord

**DIMMER:** Touch dimmer on the lamp as standard  
Available external dimming : Triac / Dali / Casambi / 1-10V / PUSH DIM  
**Touch button not functional with external dimming**



**CERTIFICATION:** CE (230V)

**MATERIAL:** Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.




### AVAILABLE MATERIALS AND FINISHES:




### TECHNICAL DETAILS:

240V / 120V (available with Switchex)  
Illumination  
LED  
Wattage: 40 W  
Light output: 2840 lm  
Color temperature: 2700 K, 3000 K, 4000 K  
CRI: 93+  
LED life hours: 50,000

### AVAILABLE CORDS (OPTIONAL):



## I-MODEL WALL MOUNTED 250 cm



**PRODUCT:** I-MODEL WALL MOUNTED, 250 cm

**LEAD TIME:** 8-10 weeks

**WEIGHT:** 7 kg (approximate value)

**PACKAGE WEIGHT:** 8,5 kg (approximate value)


**CORD (OPTIONAL):** 3m textile cord

**DIMMER:** Touch dimmer on the lamp as standard  
Available external dimming : Triac / Dali / Casambi / 1-10V / PUSH DIM  
**Touch button not functional with external dimming**


**CERTIFICATION:** CE (230V)

**MATERIAL:** Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.




### AVAILABLE MATERIALS AND FINISHES:




### TECHNICAL DETAILS:

240V / 120V (available with Switchex)  
Illumination  
LED  
Wattage: 50 W  
Light output: 3550 lm  
Color temperature: 2700 K, 3000 K, 4000 K  
CRI: 93+  
LED life hours: 50,000

### AVAILABLE CORDS (OPTIONAL):



## I-MODEL WALL MOUNTED 300 cm



**PRODUCT:** I-MODEL WALL MOUNTED, 300 cm

**LEAD TIME:** 8-10 weeks

**WEIGHT:** 10 kg (approximate value)

**PACKAGE WEIGHT:** 12 kg (approximate value)


**CORD (OPTIONAL):** 3m textile cord

**DIMMER:** Touch dimmer on the lamp as standard  
Available external dimming : Triac / Dali / Casambi / 1-10V / PUSH DIM  
**Touch button not functional with external dimming**



**CERTIFICATION:** CE (230V)

**MATERIAL:** Steel, Stainless steel, Corten steel, Brass, Copper

For more technical information, please see the installation manual.



### AVAILABLE MATERIALS AND FINISHES:



### TECHNICAL DETAILS:

240V / 120V (available with Switchex)  
Illumination  
LED  
Wattage: 60 W  
Light output: 4260 lm  
Color temperature: 2700 K, 3000 K, 4000 K  
CRI: 93+  
LED life hours: 50,000

### AVAILABLE CORDS (OPTIONAL):

